

Certificate of Analysis

FOR COMPLIANCE

Laboratory Sample ID: AL50812003-005



Adirondack Hemp Company
License # : OCM-AUCC-2022-000170
162 County Route 67
Stillwater, NY, 12170, US

PASSED

Pages 1 of 5

SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals
Solvents
NOT TESTED



Filtration
NOT TESTED



Water Activity
PASSED



Moisture
PASSED



Terpenes
PASSED

MISC.

Cannabinoid **PASSED**



Total THC
26.3457%
Total THC/Container : 263.4571 mg



Total CBD
<0.1
Total CBD/Container : 0



Total Cannabinoids
30.8718%
Total Cannabinoids/Container : 308.7180 mg



	(6AR, 9R) D10-THC	(6AR, 9S) D10-THC	CBC	CBD	CBDA	CBDV	CBG	DB-THC	CBGA	CBN	D9-THC	THCA	THCV
%	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	0.1312	<0.1	0.9104	<0.1	1.5008	28.3294	<0.1
mg/unit	<1	<1	<1	<1	<1	<1	1.3120	<1	9.1037	<1	15.0082	283.2941	<1
LOQ	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
	%	%	%	%	%	%	%	%	%	%	%	%	%

Weight:
0.1976g

Analysis Method : SOP.T.30.031.NY, SOP.T.40.031.NY
Analyzed Date : 08/15/25 10:21:01

Label Claim

PASSED

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Erica Troy
Lab Director

NY Permit # OCM-CPL-2022-00006
ISO 17025 Accreditation # 97164



Signature
08/15/25



1 Winners Circle
Albany, NY, 12205, US
(833) 465-8378

Kaycha Labs

Red Velvet Runtz 1g Preroll
Red Velvet Runtz
Matrix : Flower
Type: Pre-roll



Certificate of Analysis

PASSED

Adirondack Hemp Company

162 County Route 67
Stillwater, NY, 12170, US
Telephone: (518) 584-7807
Email: dbrown1262@verizon.net
License #: OCM-AUCC-2022-000170

Sample : AL50812003-005
Harvest/Lot ID: RVRPR202507
Batch #: RVRPR202507
Sampled : 08/11/25 11:00 AM

Sample Size Received : 13 units
Total Amount : 1800 units
Sampling Method : SOP.T.20.010.NY

Page 2 of 5



Terpenes

PASSED

Terpenes	LOQ (%)	Pass/Fail	mg/unit	Result (%)
BETA-CARYOPHYLLENE	0.004	PASS	4.8000	0.4800
LINALOOL	0.004	PASS	3.4000	0.3400
LIMONENE	0.004	PASS	1.8000	0.1800
ALPHA-BISABOLOL	0.004	PASS	1.5000	0.1500
ALPHA-HUMULENE	0.004	PASS	1.5000	0.1500
GUAIOL	0.004	PASS	1.2000	0.1200
ALPHA TERPINEOL	0.004	PASS	0.4000	0.0400
FENCHYL ALCOHOL	0.004	PASS	0.3000	0.0300
BETA-PINENE	0.004	PASS	0.3000	0.0300
VALENCENE	0.004	PASS	0.2000	0.0200
CARYOPHYLLENE OXIDE	0.004	PASS	0.1000	0.0100
GERANIOL	0.004	PASS	0.1000	0.0100
ALPHA-PINENE	0.004	PASS	0.1000	0.0100
BETA-MYRCENE	0.004	PASS	0.1000	0.0100
CAMPHENE	0.004	PASS	<0.0400	<0.0040
FARNESENE	0.1	PASS	<1.0000	<0.1000
MENTHOL	0.004	PASS	<0.0400	<0.0040
OCIMENE	0.004	PASS	<0.0400	<0.0040
TERPINOLENE	0.004	PASS	<0.0400	<0.0040
ALPHA-PHELLODRENE	0.004	PASS	<0.0400	<0.0040
ALPHA-TERPINENE	0.004	PASS	<0.0400	<0.0040
Total (%)			1.5800	

Terpenes
LOQ (%) Pass/Fail mg/unit Result (%)
Weight: 0.995g
Analysis Method : SOP.T.30.064.NY, SOP.T.40.064.NY
Analyzed Date : 08/14/25 15:02:33

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Erica Troy
Lab Director

NY Permit # OCM-CPL-2022-00006
ISO 17025 Accreditation # 97164

Signature
08/15/25



Certificate of Analysis

PASSED

Adirondack Hemp Company

Sample : AL50812003-005
Harvest/Lot ID: RVRPR202507

162 County Route 67
Stillwater, NY, 12170, US
Telephone: (518) 584-7807
Email: dbrown1262@verizon.net
License # : OCM-AUCC-2022-000170

Batch# : RVRPR202507 Sample Size Received : 13 units
Sampled : 08/11/25 11:00 AM Total Amount : 1800 units
Sampling Method : SOP.T.20.010.NY

Page 3 of 5



Pesticides

PASSED

Pesticide	LOQ	Units	Action Level	Pass/Fail	Result	Pesticide	LOQ	Units	Action Level	Pass/Fail	Result
PRALLETHRIN	0.1	ppm	0.2	PASS	<0.1	OXAMYL	0.1	ppm	1	PASS	<0.1
ACEQUINOXYL	0.1	ppm	2	PASS	<0.1	PACLOBUTRAZOL	0.1	ppm	0.4	PASS	<0.1
PYRETHRINS, TOTAL	0.1	ppm	1	PASS	<0.1	PERMETHRIN	0.1	ppm	0.2	PASS	<0.1
AZADIRACTHIN	0.1	ppm	1	PASS	<0.1	PHOSMET	0.1	ppm	0.2	PASS	<0.1
INDOLE-3-BUTYRIC ACID	0.1	ppm	1	PASS	<0.1	PROPICONAZOLE	0.1	ppm	0.4	PASS	<0.1
MYCLOBUTANIL	0.1	ppm	0.2	PASS	<0.1	PROPOXUR	0.1	ppm	0.2	PASS	<0.1
PIPERONYL BUTOXIDE	0.1	ppm	2	PASS	<0.1	PYRIDABEN	0.1	ppm	0.2	PASS	<0.1
ABAMECTIN B1A	0.1	ppm	0.5	PASS	<0.1	SPINETORAM, TOTAL	0.1	ppm	1	PASS	<0.1
ACEPHATE	0.1	ppm	0.4	PASS	<0.1	SPINOSAD, TOTAL	0.1	ppm	0.2	PASS	<0.1
ACETAMIPRID	0.1	ppm	0.2	PASS	<0.1	SPIROMESIFEN	0.1	ppm	0.2	PASS	<0.1
ALDICARB	0.1	ppm	0.4	PASS	<0.1	SPIROTETRAMAT	0.1	ppm	0.2	PASS	<0.1
AZOXYSTROBIN	0.1	ppm	0.2	PASS	<0.1	SPIROXAMINE	0.1	ppm	0.2	PASS	<0.1
CHLORMEQUAT CHLORIDE	0.1	ppm	1	PASS	<0.1	TEBUCONAZOLE	0.1	ppm	0.4	PASS	<0.1
BIFENAZATE	0.1	ppm	0.2	PASS	<0.1	THIACLOPRID	0.1	ppm	0.2	PASS	<0.1
BIFENTHRIN	0.1	ppm	0.2	PASS	<0.1	THIAMETHOXAM	0.1	ppm	0.2	PASS	<0.1
CARBARYL	0.1	ppm	0.2	PASS	<0.1	TRIFLOXYSTROBIN	0.1	ppm	0.2	PASS	<0.1
CHLORPYRIFOS	0.1	ppm	0.2	PASS	<0.1	CAPTAN *	0.1	ppm	1	PASS	<0.1
COUMAPHOS	0.1	ppm	1	PASS	<0.1	CHLORDANE *	0.1	ppm	1	PASS	<0.1
DAMINOZIDE	0.1	ppm	1	PASS	<0.1	CHLORFENAPYR *	0.1	ppm	1	PASS	<0.1
CARBOFURAN	0.1	ppm	0.2	PASS	<0.1	CYFLUTHRIN *	0.1	ppm	1	PASS	<0.1
BOSCALID	0.1	ppm	0.4	PASS	<0.1	CYPERMETHRIN *	0.1	ppm	1	PASS	<0.1
CHLORANTRANILIPROLE	0.1	ppm	0.2	PASS	<0.1	METHYL PARATHION *	0.1	ppm	0.2	PASS	<0.1
DIAZINON	0.1	ppm	0.2	PASS	<0.1	MGK-264 *	0.1	ppm	0.2	PASS	<0.1
CLOFENTEZINE	0.1	ppm	0.2	PASS	<0.1	PENTACHLORONITROBENZENE *	0.1	ppm	1	PASS	<0.1
DICHLORVOS	0.1	ppm	1	PASS	<0.1						
DIMETHOATE	0.1	ppm	0.2	PASS	<0.1	Weight:					
DIMETHOMORPH	0.1	ppm	1	PASS	<0.1	0.9063g					
ETHOPROPHOS	0.1	ppm	0.2	PASS	<0.1	Analysis Method : SOP.T.40.104.NY, SOP.T30.104.NY and SOP.T.40.154.NY					
ETOFENPROX	0.1	ppm	0.4	PASS	<0.1	Analyzed Date : 08/13/25 10:06:09					
ETOXAZOLE	0.1	ppm	0.2	PASS	<0.1						
FENHEXAMID	0.1	ppm	1	PASS	<0.1	Weight:					
FENOXYCARB	0.1	ppm	0.2	PASS	<0.1	0.9063g					
FENPYROXIMATE	0.1	ppm	0.4	PASS	<0.1	Analysis Method : SOP.T.40.154.NY					
FIPRONIL	0.1	ppm	0.4	PASS	<0.1	Analyzed Date : 08/14/25 14:35:44					
FLONICAMID	0.1	ppm	1	PASS	<0.1						
FLUDIOXONIL	0.1	ppm	0.4	PASS	<0.1						
HEXYTHIAZOX	0.1	ppm	1	PASS	<0.1						
IMAZALIL	0.1	ppm	0.2	PASS	<0.1						
IMIDACLOPRID	0.1	ppm	0.4	PASS	<0.1						
KRESOXIM METHYL	0.1	ppm	0.4	PASS	<0.1						
MALATHION	0.1	ppm	0.2	PASS	<0.1						
METALAXYL	0.1	ppm	0.2	PASS	<0.1						
METHIOCARB	0.1	ppm	0.2	PASS	<0.1						
METHOMYL	0.1	ppm	0.4	PASS	<0.1						
MEVINPHOS	0.1	ppm	1	PASS	<0.1						
NALED	0.1	ppm	0.5	PASS	<0.1						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Erica Troy

Lab Director

NY Permit # OCM-CPL-2022-00006
ISO 17025 Accreditation # 97164

Signature
08/15/25



Certificate of Analysis

PASSED



Adirondack Hemp Company


162 County Route 67
Stillwater, NY, 12170, US
Telephone: (518) 584-7807
Email: dbrown1262@verizon.net
License # : OCM-AUCC-2022-000170

Sample : AL50812003-005
Harvest/Lot ID: RVRPR202507
Batch# : RVRPR202507
Sampled : 08/11/25 11:00 AM

Sample Size Received : 13 units
Total Amount : 1800 units
Sampling Method : SOP.T.20.010.NY

Page 4 of 5

 Microbial PASSED						 Mycotoxins PASSED					
Analyte	LOQ	Units	Result	Pass / Fail	Action Level	Analyte	LOQ	Units	Result	Pass / Fail	Action Level
TOTAL AEROBIC BACTERIA	100	CFU/g	<100	TESTED		TOTAL AFLATOXINS (B1, B2, G1, G2)	0.01	ppm	<0.01	PASS	0.02
TOTAL YEAST AND MOLD	100	CFU/g	13000	TESTED		AFLATOXIN G2	0.01	ppm	<0.01	PASS	0.02
ESCHERICHIA COLI SHIGELLA SPP	1		Not Present	PASS		AFLATOXIN G1	0.01	ppm	<0.01	PASS	0.02
SALMONELLA SPECIES	1		Not Present	PASS		AFLATOXIN B2	0.01	ppm	<0.01	PASS	0.02
ASPERGILLUS TERREUS	1		Not Present	PASS		AFLATOXIN B1	0.01	ppm	<0.01	PASS	0.02
ASPERGILLUS NIGER	1		Not Present	PASS		OCHRATOXIN A+	0.01	ppm	<0.01	PASS	0.02
ASPERGILLUS FLAVUS	1		Not Present	PASS							
ASPERGILLUS FUMIGATUS	1		Not Present	PASS		Weight:					
						0.9063g					
Weight:						Analysis Method : SOP.T.30.104.NY, SOP.T.40.104.NY					
0.8814g						Analyzed Date : 08/13/25 10:03:50					
Analysis Method : SOP.T.40.058A.NY, SOP.T.40.058B.NY, SOP.T.40.056C, SOP.T.40.209.NY											
Analyzed Date : 08/15/25 09:35:51											

 Heavy Metals PASSED					
Metal	LOQ	Units	Result	Pass / Fail	Action Level
ANTIMONY	0.1	ug/g	<0.1	PASS	2
ARSENIC	0.1	ug/g	<0.1	PASS	0.2
CADMIUM	0.1	ug/g	<0.1	PASS	0.2
CHROMIUM	1	ug/g	<1	PASS	110
COPPER	1	ug/g	18.5187	PASS	30
LEAD	0.1	ug/g	<0.1	PASS	0.5
MERCURY	0.01	ug/g	<0.01	PASS	0.1
NICKEL	0.1	ug/g	<0.1	PASS	5
Weight:					
0.5022g					
Analysis Method : SOP.T.30.084.NY, SOP.T.40.084.NY					
Analyzed Date : 08/13/25 09:47:22					



1 Winners Circle
Albany, NY, 12205, US
(833) 465-8378

Kaycha Labs

Red Velvet Runtz 1g Preroll
Red Velvet Runtz
Matrix : Flower
Type: Pre-roll



Certificate of Analysis

PASSED

Adirondack Hemp Company
162 County Route 67
Stillwater, NY, 12170, US
Telephone: (518) 584-7807
Email: dbrown1262@verizon.net
License # : OCM-AUCC-2022-000170

Sample : AL50812003-005
Harvest/Lot ID: RVRPR202507
Batch# : RVRPR202507
Sampled : 08/11/25 11:00 AM
Sample Size Received : 13 units
Total Amount : 1800 units
Sampling Method : SOP.T.20.010.NY

Page 5 of 5

	Water Activity	PASSED		Moisture	PASSED
--	-----------------------	---------------	--	-----------------	---------------

Analyte	LOQ	Units	Result	P/F	Action Level	Analyte	LOQ	Units	Result	P/F	Action Level
Water Activity	0.1	aw	0.49	PASS	0.65	Moisture Content	1	%	8.3	PASS	15
Weight: 0.3638g						Weight: 1.042g					
Analysis Method : SOP.T.40.019 Analyzed Date : 08/12/25 17:00:45						Analysis Method : SOP.T.40.021 Analyzed Date : 08/12/25 13:58:23					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Erica Troy
Lab Director

NY Permit # OCM-CPL-2022-00006
ISO 17025 Accreditation # 97164

Signature
08/15/25